



OPALJET DREAM 2 0W30

100% SYNTHETIC EURO 6 ENGINE OIL



LIGHT VEHICLES RANGE
ENGINE
100% SYNTHETIC
SAE 0W-30

Mineral

Semi-synthetic

100%
synthetic

STANDARDS AND SPECIFICATIONS
ACEA C2-21
API SN-Plus / SP
PSA B71 2312
PSA B71 2302

Engine cleanliness

Oxidation resistance

Shear stability



APPLICATIONS

OPALJET DREAM 2 0W30 is an oil 100% synthetic so called "FUEL ECO" meets the most severe requirements of modern automotive engines, in all running conditions.

OPALJET DREAM 2 0W30 is suitable for PSA engines for their latest motorisations (Hybrid, Start & Stop system)

OPALJET DREAM 2 0W30 is required for vehicles that must meet the ACEA C2 standard in grade 0W30 such as FIAT, IVECO, HONDA...

BENEFITS

- Grade 0W30 protects your engine from the start in cold weather (-35°C) allowing **significant fuel saving** compared with 15W40 grade
- **Protects particle filters** against clogging thanks to its very low sulphur and sulphated ash content
- Offers exceptional natural characteristics : resistance to shearing, low volatility
- Its advanced formulation protects all engine components while preventing deposits at high and low temperatures, **whatever the fuel used.**

PERFORMANCES

APPROVAL (1) | PSA B71 2312-2022

PERFORMANCE LEVELS

ACEA C2-21
API SN-Plus / SP

FIAT 9.55535 – GS1
FIAT 9.55535 – DS1
PSA B71 2302

(1) Approval certificate available on request

OPAL
0W30
100%
SYNTHETIC
EURO 6



CHARACTERISTICS

CHARACTERISTICS	UNITS	METHODS	TYPICAL DATA
SAE grade	-	-	0W-30
Specific gravity at 20°C	kg/m ³	NF T 60-101	838
Kinematic viscosity at 40°C	mm ² /s	NF T 60-100	56
Kinematic viscosity at 100°C	mm ² /s	NF T 60-100	10
Viscosity index	-	NF T 60-136	160
Pour point	°C	NF T 60-105	-45
Flash point	°C	NF T 60-118	226
CCS viscosity at -35°C	mPa.s	ASTM D 5293	5 709
Sulfated ash content	% pds	NF T 60-143	0,57
TBN	mgKOH/g	ASTM D 2896	10.6

This typical data is given for information only

HEALTH, SAFETY AND ENVIRONMENT

Elimination must be carried out to conform to the rules set for the disposal of used lubricants.

Must be stored away from bad weather.

Should you need further details, our Technical Department remains at your entire disposal

Unil
Opal
Unil
Opal
Unil
Opal
Unil
Opal