



SCOOT POWER

FULL SYNTHETIC OIL FOR 4-STROKE SCOOTERS



SCOOTER RANGE

4-STROKE ENGINE
FULL SYNTHETIC
SAE 10W-30/10W-40

Mineral

Semi-synthetic

Full synthetic

Oxidation resistance



Shear stability



Engine cleanliness



INTERNATIONAL STANDARDS

API SN
JASO MB

APPLICATIONS

SCOOT POWER is a full synthetic oil formulated to meet the requirements of all-displacement 4-stroke scooter engines with or without catalytic converter requiring the JASO MB standard.

SCOOT POWER is compatible with all petrol fuels (ethanol, unleaded, biofuel).

SCOOT POWER guarantees exceptional performance on all scooters without wet clutches.

BENEFITS

- **Increased protection** of the engine against wear thanks to the innovative and high-performance package of additives.
- **High oxidation resistance** which means that the intervals between oil changes can be significantly lengthened.
- **High detergent and dispersant properties** that prevent the formation of deposits, thereby keeping the engine clean. Performance levels preserved.
- Suitable for urban/suburban driving with frequent starts.

PERFORMANCES

PERFORMANCE LEVELS

API SN
JASO MB

Unil
Opal
10W-30/10W-40
Full Synthetic



CHARACTERISTICS

CHARACTERISTICS	UNITS	METHODS	TYPICAL DATA	
			10W-30	10W-40
SAE grade	-	-	10W-30	10W-40
Colour	-	visual	Amber-coloured	
Density at 20°C	kg/m ³	NF T 60-101	845	848
Kinematic viscosity at 40°C	mm ² /s	NF T 60-100	58,5	87
Kinematic viscosity at 100°C	mm ² /s	NF T 60-100	10	13,9
Viscosity index	-	NF T 60-136	158	165
CCS viscosity at -25°C	mPa.s	ASTM D 2602	3237	3841
Pour point	°C	NF T 60-105	-38	-36
Flash point	°C	NF T 60-118	232	232

The average specifications provided are approximate values

HEALTH, SAFETY AND ENVIRONMENT

Disposal must be carried out in compliance with applicable rules for the waste disposal of used oil.

Keep away from bad weather conditions.

Our technical department is at your disposal to give you the advice you require.

7220 OPAL 7220 OPAL 7220 OPAL 7220 OPAL